

AD-A084 090

ARMY MEDICAL PIOENGINEERING RESEARCH AND DEVELOPMENT --ETC F/6 6/5
LABORATORY EVALUATION OF THE USDA RAPID NONDESTRUCTIVE STORED P--ETC(U)
FEB 80 L M ANDERSON, J H NELSON
USAMBROL-TR-8001

UNCLASSIFIED

NL

1
2
3
4
5

6
7
8
9
10

11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100 1101 1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121 1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136 1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166 1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200 1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211 1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226 1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241 1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256 1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271 1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286 1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300 1301 1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331 1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346 1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361 1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376 1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1395 1396 1397 1398 1399 1400 1401 1402 1403 1404 1405 1406 1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421 1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436 1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451 1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466 1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481 1482 1483 1484 1485 1486 1487 1488 1489 1490 1491 1492 1493 1494 1495 1496 1497 1498 1499 1500 1501 1502 1503 1504 1505 1506 1507 1508 1509 1510 1511 1512 1513 1514 1515 1516 1517 1518 1519 1520 1521 1522 1523 1524 1525 1526 1527 1528 1529 1530 1531 1532 1533 1534 1535 1536 1537 1538 1539 1540 1541 1542 1543 1544 1545 1546 1547 1548 1549 1550 1551 1552 1553 1554 1555 1556 1557 1558 1559 1560 1561 1562 1563 1564 1565 1566 1567 1568 1569 1570 1571 1572 1573 1574 1575 1576 1577 1578 1579 1580 1581 1582 1583 1584 1585 1586 1587 1588 1589 1590 1591 1592 1593 1594 1595 1596 1597 1598 1599 1600 1601 1602 1603 1604 1605 1606 1607 1608 1609 1610 1611 1612 1613 1614 1615 1616 1617 1618 1619 1620 1621 1622 1623 1624 1625 1626 1627 1628 1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642 1643 1644 1645 1646 1647 1648 1649 1650 1651 1652 1653 1654 1655 1656 1657 1658 1659 1660 1661 1662 1663 1664 1665 1666 1667 1668 1669 1670 1671 1672 1673 1674 1675 1676 1677 1678 1679 1680 1681 1682 1683 1684 1685 1686 1687 1688 1689 1690 1691 1692 1693 1694 1695 1696 1697 1698 1699 1700 1701 1702 1703 1704 1705 1706 1707 1708 1709 1710 1711 1712 1713 1714 1715 1716 1717 1718 1719 1720 1721 1722 1723 1724 1725 1726 1727 1728 1729 1730 1731 1732 1733 1734 1735 1736 1737 1738 1739 1740 1741 1742 1743 1744 1745 1746 1747 1748 1749 1750 1751 1752 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763 1764 1765 1766 1767 1768 1769 1770 1771 1772 1773 1774 1775 1776 1777 1778 1779 1780 1781 1782 1783 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796 1797 1798 1799 1800 1801 1802 1803 1804 1805 1806 1807 1808 1809 1810 1811 1812 1813 1814 1815 1816 1817 1818 1819 1820 1821 1822 1823 1824 1825 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 26

LEVEL #

AD

TECHNICAL REPORT 8001

ADA084090

① LABORATORY EVALUATION OF THE USDA RAPID NONDESTRUCTIVE
STORED PRODUCTS INSECT DETECTOR

⑩ LEROY M. ANDERSON
JAMES H. NELSON, Ph.D.
JAMES I. KARDATZKE, CPT, MSC
DONALD P. DRIGGERS, CPT, MSC

⑨ Final rept. Aug 17 - 1978

US ARMY MEDICAL BIOENGINEERING RESEARCH and DEVELOPMENT LABORATORY
Fort Detrick
Frederick, Md. 21701

⑩ 3546-17-4838

⑪ FEBRUARY 1980

DTIC
SELECTED
MAY 12 1980
A

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

⑭ USAMRIID TR-8971

US ARMY MEDICAL RESEARCH and DEVELOPMENT COMMAND
FORT DETRICK
FREDERICK, MD 21701



80 5 9 030

11/1838

NOTICE

Disclaimer

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER TECHNICAL REPORT 8001	2. GOVT ACCESSION NO. AD-A084 090	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) LABORATORY EVALUATION OF THE USDA RAPID NONDESTRUCTIVE STORED PRODUCTS INSECT DETECTOR		5. TYPE OF REPORT & PERIOD COVERED Final Report August 1977 - December 1979
7. AUTHOR(s) LEROY M. ANDERSON DONALD P. DRIGGERS, CPT, MSC JAMES H. NELSON, Ph.D. JAMES T. KARDATZKE, CPT, MSC		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Medical Bioengineering Research & Development Laboratory, ATTN: SGRD-UBG Fort Detrick, Frederick, MD 21701		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Medical Research & Development Command ATTN: SGRD-AJ Fort Detrick, Frederick, MD 21701.		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62778A 3S162778A838/00/025
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE MARCH 1980
		13. NUMBER OF PAGES 22
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		Accession For NHS DDC TAB Unannounced Justification
18. SUPPLEMENTARY NOTES		By Distribution/ Availability Codes Avail and/or special
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Carbon dioxide Red flour beetle Commodity chamber Stored products Insect detector Packaged commodity		1st A
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Tests conducted in the laboratory determined that the insect detector (second prototype) could distinguish between a sample with three live insects per pound and an uninfested sample of stored food products. The detector could not differentiate between no infestation and one insect in 5-pound packaged commodities or a 1-pound sample of whole grain. The length of time necessary to test a sample and extrinsic interferences from various sources made the first and second prototypes of the hidden insect detector operationally unsatisfactory.		

DD FORM 1473
1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

TABLE OF CONTENTS

INTRODUCTION	3
Purpose	3
Materials	3
Procedures	5
RESULTS AND DISCUSSION	6
Advantage	11
Disadvantages	11
SUMMARY AND RECOMMENDATIONS	13
LITERATURE CITED	15
APPENDIX A	17
DISTRIBUTION LIST	19

TABLES

1. Average Peak and Ramp Heights (mm) of CO ₂ Produced by Three Different Species of Adult Stored Product Insects in a 1-Pound Sample of Whole Grain Wheat with a 5-Minute Purge Cycle and 10-Minute Collect Cycle	9
2. Peak Heights (mm) of CO ₂ Produced by Adult Red Flour Beetles in a 5-Pound Bag of Corn Meal with a 15-Minute Purge Cycle and 5-Minute Collect Cycle	10
3. Peak Heights (mm) of CO ₂ Produced by Adult Red Flour Beetles in a 5-Pound Bag of Flour with a 15-Minute Purge Cycle and 5-Minute Collect Cycle	11

FIGURES

1. Peak Mode Chart Print-Out of a 1-Pound Whole Grain Sample in the Rigid Plastic Cylinder	7
2. Peak Mode Chart Print-Out of a 5-Pound Packaged Commodity in the Shrink Bag	8

INTRODUCTION

Insect infestations of stored products cause major economic problems throughout the world. Effective stored product insect control requires early, rapid and reliable detection of insect infestations. Various detection methods have been developed including X-ray,^{1,2} pheromones to attract insects,^{3,4} traps,^{5,6} nuclear magnetic resonance,⁷ electrical resistance,⁸ microwaves,⁹ sound,^{10,11} and chemical indicators.¹² These methods were not satisfactory because they failed to detect low-level insect infestations in packaged commodities.

The present method for insect detection is outlined in Military Standard 904, Guidelines for Insect Infestation of Subsistence.¹³ Briefly, the method begins with a detailed visual inspection of the package. The contents are then sieved onto a collection surface where the residue is examined for whole insects and insect parts. This procedure destroys the package and its contents and is time consuming.

Bruce and Street¹⁴ described a system which had potential for detection of low-level insect infestations in stored products while maintaining package integrity. The system detected insect-produced carbon dioxide (CO_2) in the presence of atmospheric CO_2 . First and second generation prototypes of this system were provided to the United States Army Medical Bioengineering Research and Development Laboratory (USAMBRDL), by the United States Department of Agriculture (USDA) Stored Products Insects Research Laboratory, Savannah, Georgia for laboratory evaluation under simulated operational conditions. The laboratory evaluation of the first prototype is given in Appendix A. This report concerns only the second prototype evaluation.

Purpose

The purpose was to evaluate the capability of the USDA detector system to detect insect infestations in packaged commodities without destroying package integrity. Parameters to be met were that detection occur in a relatively short period of time and that it be uninfluenced by CO_2 from sources outside the package.

Materials

The second prototype is based on a HORIBA Model PIR 2000 General Purpose Infrared Gas Analyzer. This instrument is capable of precision gas analysis based on nondispersive infrared ray absorption for continuously determining the concentration of a given component in a gaseous stream. For insect detection the gas analyzer was preset to detect CO_2 .

Molecules of CO_2 absorb infrared radiation of a specific wavelength. The degree of absorption is proportional to molecule concentration at constant pressure. The infrared radiation emitted by the light source is modulated by a rotating chopper, then passed simultaneously through the sample and reference cells into the detector cell. If the sample cell contains more CO_2 than the reference cells, a decrease in the amount of radiation reaching the sample side of the detector cell results. This difference is registered as an electrical output which is amplified and directed to a meter/recording device.

The recording device, a Linear Model 141, is a multi-range potentiometric null balance servo recorder which provides an accurate, permanent graphic record of signal input. The DC input signal to the recorder is first filtered, then amplified by a preamplifier to a level which is less susceptible to noise and interference. This conditioned signal is then applied to a differential amplifier which continuously compares the conditioned signal to the feedback signal developed by the servo potentiometer. The difference between these two impulses is a positive or negative error signal which is amplified and used to drive the servo motor. The motor is coupled to the servo potentiometer in a direction which reduces the error signal to zero. Since the recorder pen is mechanically coupled with the servo motor and potentiometer, its position on the chart represents an accurate, and continuous graphic record of the input signal.

The insect detector weighs 42 lb and measures 7.5 x 14.5 x 22 in. The accessory equipment included a Drierite^R rigid plastic cylinder (2.5 x 11 in), two different plastic shrink bags (15 x 21 in and 9 x 15 in), Tygon^R tubing, Swagelok^R quick connect fittings, A.C.^R line filters, a 5-gallon glass jar, and a small wire cage (0.5 x 2 in). A plastic gutter screen (9.5 x 18 in), two wooden strips (0.75 x 9 in) and four No. 10 binder clips were additional accessories used only with the shrink bags.

The commodity test chamber was either the plastic cylinder, when a bulk sample of whole grain was examined, or the shrink bag, when a packaged commodity was tested for insect infestations. The inlet and outlet ports, positioned at opposite sides of the test chambers, were connected to the ends of two segments of Tygon^R tubing and attached to the insect detector by Swagelok^R quick connect fittings. The Tygon^R tubing is fitted with filters to prevent extrinsic particles from entering the detector. The 5-gallon jar, which provides a stable source of air with minimum fluctuations of CO_2 , had Tygon^R tubing leading from the jar through the inlet port to a series of pumps which circulated the air through the insect detector. The wire cage facilitated introduction of a known number of insects into the test chamber and their retrieval after

the test. The plastic gutter screen was used to wrap a packaged commodity to create a small air space between the package and shrink bag that allowed air to flow through the package. The wooden strips and binder clips were used to fasten the open end of the shrink bag.

Procedures

The insect detector was operated in the following manner:

Initial Setup

The switches were placed in the following positions:

Power - Off
Purge - Off
Mode - Either Ramp or Peak
Chart Recorder - Off
Recorder Input - 100 MV
Atten - CCW

The line cord of the instrument was plugged into a 115 V AC60 Hz power outlet.

One end of the air inlet hose was attached to the insect detector, and the other end was placed into a 5-gallon jar.

Sample Preparation

Two modes of sample testing were available and selected by means of the front panel Mode switch. The Peak mode first purged the sample and then stopped air flow for a period of time determined by the Test/Collect timer. During the quiescent period the system was sealed. At the end of the Collect interval, flow was restarted and any CO₂ collected in the sample was read out as a peak on the chart recorder.

The Ramp mode was an integrating mode in which air was continuously recirculated around a closed loop containing the sample and the CO₂ analyzer. In this mode any buildup of CO₂ was constantly displayed on the recorder chart as an increasing ramp function.

Three species of stored product insects were used as test specimens; the red flour beetle, Tribolium castaneum, the lesser grain borer, Rhizopertha dominica, and the rice weevil, Sitophilus oryzae. During the latter part of the investigation, only the red flour beetle was used.


Samples were evaluated by the insect detector using various levels of infestation, species of insects, testing times and modes, and types of commodities. The controls were obtained by placing the samples (packaged or bulk) into a freezer (-50°C) for at least 2 days to assure that no

live insects were present. After removal from the freezer, the samples were allowed to reach room temperature and any condensate to evaporate before placing the contents into the commodity test chamber (shrink bag or plastic cylinder) and connecting the chamber to the insect detector. The infested samples were obtained by artificially introducing a known number of laboratory reared beetles into those samples which had previously been used as the controls. Both the Ramp and Peak modes were tested. Measurements were made of the peak and ramp heights which were recorded on the strip chart. These were examined to ascertain if there were detectable differences between the two modes of operation, and to determine if the peak and ramp heights consistently corresponded to a given number of artificially introduced insects in a sample.

RESULTS AND DISCUSSION


The Peak mode was generally more sensitive,¹⁵ but required a fixed time cycle. Until the end of the cycle no information was available on the degree of infestation. The ramp mode, although not as sensitive, had the advantage of faster presentation of data. As soon as a positive slope on the ramp was established the test could be terminated. In the case of a heavily infested sample the test could be terminated in as little as 15 to 20 seconds. Field experience would determine whether either or both modes are desirable in a commercially produced system.

Typical Peak mode chart print-outs using the plastic chamber and the shrink bag are given in Figures 1 and 2, respectively. The plastic chamber was used for a 1-pound sample of whole grain wheat. The shrink bag was used for a 5-pound bag of flour or corn meal. The initial peak occurred each time either commodity chamber was opened to external air. Thus, when the insect detector was turned on to begin the test, this excess air was pumped through the CO₂ detector to flush the system. The CO₂, included in this bolus of air, caused the recorder pen to rise sharply before returning to baseline. This process usually took 20 seconds or less with whole grain. The short "purge" time is made possible because of the large amounts of interstitial air in a sample of whole kernel grain. With flour or corn meal, which had comparatively little interstitial air and was compacted when under vacuum, 10 to 15 minutes were needed for the system to purge and establish a steady baseline. This was essential before any sample could be tested for the presence of CO₂. A false reading was recorded if a test was conducted without adequate purging. After the initial "purge" peak, the baseline would level out during the rest of the purge cycle. The system then entered a collect phase where CO₂ was allowed to accumulate in the sample. At the end of the collect cycle, the system was flushed again. The CO₂



- A - Initial peak - caused by opening the commodity test chamber to add or change a sample.
- B - Purge cycle - flushing the system of any remaining gases from the previous run or those which entered while the test chamber was opened. Air was pumped through from an external air source.
- C - Collect cycle - the detector was sealed off with no additional external air pumped through the system.
- D - Peak - height indicates amount of internally produced CO_2 .

Figure 1. Peak Mode Chart Print-Out of a 1-Pound Whole Grain Sample in the Rigid Plastic Cylinder.



- A - Initial peak - caused by opening the commodity test chamber to add or change a sample.
- B - Purge cycle - flushing the system of any remaining gases from the previous run or those which entered while the test chamber was opened. Air was pumped through from an external air source.
- C - Collect cycle - the detector is sealed off with no additional external air pumped through the system.
- D - Peak - height indicates amount of internally produced CO_2 .

Figure 2. Peak Mode Chart Print-Out of a 5-Pound Packaged Commodity in the Shrink Bag.

given off from the sample in the commodity test chamber was recorded as a peak on a strip chart print-out. In this investigation the assumption was made that an insect infestation would produce the CO_2 and that the magnitude of the peak would be directly related to the number of insects present.

The insect detector could detect adult insect infestation in a 1-pound sample of whole grain wheat (Table 1) with some variations. Using the Ramp mode, the insect detector recorded a greater ramp height with commodities containing three rice weevils (12.00 mm) than with five rice weevils (8.32 mm). This seemingly indicated that three rice weevils produced more CO_2 than five rice weevils.

TABLE 1. AVERAGE PEAK AND RAMP HEIGHTS (mm) OF CO_2 PRODUCED BY THREE DIFFERENT SPECIES OF ADULT STORED PRODUCT INSECTS IN A 1-POUND SAMPLE OF WHOLE GRAIN WHEAT WITH A 5-MINUTE PURGE CYCLE AND 10-MINUTE COLLECT CYCLE

No. Beetles	Red Flour Beetles Mode		Rice Weevils Mode		Lesser Grain Borers Mode	
	Ramp	Peak ^a	Ramp	Peak ^a	Ramp	Peak
0	0.00	1.00	0.00	2.50	0.00	3.32
1	0.66	2.00	1.32	3.32	0.00	--
2	1.66	--	2.32	--	0.00	--
3	5.32	6.50	12.00	--	1.32	9.00
5	13.66	--	8.32	--	3.00	13.00
6	--	19.50	--	7.66	--	--

a. Five-minute purge, 5-minute collect.

Both modes involved a considerable expenditure of time. To decrease the time required to test a sample, the collect time was reduced from 10 to 5 minutes using the Peak mode. This reduced the sensitivity of the instrument, but it still could detect differences in red flour beetle or rice weevil infestation levels. The insect detector required a 10 minute collect time for samples containing the smaller lesser grain borer, which probably produced lesser quantities of CO_2 per individual.

The initial tests were conducted using whole grain wheat to learn how the detector reacted to different levels of insect infestation. However, the main interest of the Department of Defense and the major objective of this report was to evaluate the effectiveness of the insect detector in determining various levels of insect infestations in processed commodities. Additional tests were performed using the red flour beetle in 5-pound bags of corn meal and flour because fewer of these insects are allowed in processed food commodities. According to Military Standard 904,¹³ a product in a military wholesale food facility can contain a maximum of six insects per pound of product unless the infestation involves Tribolium or Trogoderma insects, the limits of which are three and zero, respectively. However, any level of insect infestation would bar acceptance of a processed commodity by The Department of Defense.

Further tests were conducted using a beetle-infested 5-pound bag of corn meal at five different temperatures (20°-27°C) to simulate temperature fluctuations generally found in government warehouses. The results confirmed that red flour beetles respired more at 27°C than at 20°C (Table 2) as indicated by increased peak heights. These results agree with the observations by Hunter and Hartsell,¹⁶ who found that increasing the temperature would increase CO₂ production in larvae of another stored product insect, Plodia interpunctella.

TABLE 2. PEAK HEIGHTS (mm) OF CO₂ PRODUCED BY ADULT RED FLOUR BEETLES IN A 5-POUND BAG OF CORN MEAL WITH A 15-MINUTE PURGE CYCLE AND 5-MINUTE COLLECT CYCLE

No. Beetles	Temperatures										Average 20°-27°C
	20°C		21°C		24°C		25°C		27°C		
0	1	0	4	1	1	0	3	2	0	2	1.4
1	1	0	3	1	0	1	3	2	3	1	1.5
14	4	4	4	4	4	4	8	6	8	3	5.2
15	2	4	3	4	6	4	7	5	5	2	4.3
30	6	11	9	8	10	8	9	4	8	9	8.2
45	9	6	12	8	14	11	10	6	17	16	10.9

With a certain degree of accuracy, repeatable results of peak heights corresponding to different levels of insect infestations were obtained by the insect detector, but there were variations. An uninfested sample

could be distinguished from one with 15 red flour beetles (three insects per pound). The detector could not accurately differentiate between a sample having 14 beetles or 15 beetles nor between samples containing 1 beetle as opposed to 0 beetles. The results of tests conducted using a beetle infested 5-pound bag of flour at two different temperatures (24°-26°C) are given in Table 3. Fewer replications were conducted, but these results supported the findings of the tests conducted with samples of corn meal.

TABLE 3. PEAK HEIGHTS (mm) OF CO₂ PRODUCED BY ADULT RED FLOUR BEETLES IN A 5-POUND BAG OF FLOUR WITH A 15-MINUTE PURGE CYCLE AND 5-MINUTE COLLECT CYCLE

No. Beetles	Temperatures				Average 24°-26°C
	24°C		26°C		
0	2	1	0	2	1.3
1	2	3	0	4	2.3
14	5	4	6	6	5.3
15	5	4	3	4	4.0
30	5	5	7	8	6.3
45	--	--	17	12	7.3

Advantage

The insect detector was able to distinguish the difference between an uninfested sample and a sample which contained three *Tribolium* sp. (red flour beetles) per pound or six of any other genera of insects per pound of food commodity. These figures represent the maximum number of insects allowed in a stored food product in a military wholesale food facility.

Disadvantages

1. The insect detector could not detect low-level insect infestations in 5-pound packaged commodities or 1-pound samples of whole grain within a reasonable length of time (less than 5 minutes).
2. With whole grain samples a stable baseline could be established in 10 to 30 seconds while 10 to 15 minutes were required for baseline stabilization in packaged commodities.

3. The time required to establish a stable baseline obviously increased sample run time. A whole grain sample could be tested in 10 minutes or less but a packaged commodity would usually take at least 20 minutes. Additional time was required if more replications were desired.
4. There were variations in the recorded results.
5. If the machine was jarred only slightly, a false peak would be recorded. If the insect detector was placed on an unstable table or cabinet the baseline would be broad and wavy.
6. The sample chamber (shrink bag or plastic container) had to be placed on a cushioned surface away from the machine. This reduced the vibrations caused by the operation of the insect detector. The vibration reduced the respiration rate of the insects thereby reducing CO₂ production¹⁵ which caused smaller peaks to be recorded.
7. The insect detector, capable of measuring CO₂, could not detect dead insects, insect parts, differences in species or their stage of development,^{17,18} or other contaminants in packaged commodities. Also, lower temperatures decreases the respiration rates (CO₂ production) of insects.¹⁶
8. Any source of CO₂ near the machine caused it to register peaks on the recorder. If the operator stayed within 1 or 2 feet of the machine, peaks would be recorded from the CO₂ given off by the operator. The detector worked best when the operator set the machine to run a sample and left the vicinity. A solution to this problem would be to connect a closed source of air to the inlet port on the back of the insect detector.
9. Sometimes negative slopes were recorded when the Ramp mode was used.
10. The timer for the purge cycle was capable of running only a maximum of 5 minutes. Fifteen minutes were necessary to purge a stored product packaged commodity to obtain a stable baseline. Another timer could be installed to remedy this problem.
11. The shrink bag should be only slightly larger than the commodity to be examined. This would reduce some of the time it took for the bag to collapse around the commodity. Several different sized shrink bags would be necessary to accommodate different sized packages. Also, the best position of the inlet and outlet ports of the shrink bag varies for different commodities.
12. The inlet and outlet ports frequently collapsed against the bag and blocked the air flow. The operator then had to manually pull the bag away from the ports.

13. The shrink bag was made of very thin plastic which could be torn. Also, there may have been some leakage of air through this material.

SUMMARY AND RECOMMENDATIONS

The second prototype of the hidden insect detector showed much improvement over the first prototype. However, the second prototype still was unable to meet required performance criteria. The second prototype conceptually was technically usable and could detect three insects per pound of commodity, but other physical and mechanical problems made it operationally unacceptable. A system which had the same basic principle of operation, but was more refined to eliminate and minimize undesirable characteristics could have potential in detecting hidden insect infestations in military stored product warehouses. However, since live insects are not the only contaminants for which examinations must be conducted, it appears unlikely that such a device will ever replace manual inspection.

LITERATURE CITED

1. Milner, M., M.R. Lee, and R. Katz, "Application of X-ray Technique to the Detection of Internal Insect Infestations of Grain," J. Econ. Entomol., 43(6):933-935 (1950).
2. Dobie, P., "An Investigation into the Use of an X-ray Technique in the Study of Pre-emergent Stages of Sitophilus oryzae (L.) Developing in Manitoba Wheat," J. Stored Prod. Res., 9:7-12 (1973).
3. Burkholder, W.E., "Applications of Pheromones for Manipulating Insect Pests of Stored Products," Proc. Symp. Insect Pher. Appl., Nagaoka and Tokyo, Dec. 8-11, 1976, 111-122.
4. Burkholder, W.E., "Manipulation of Insect Pests of Stored Products," pp. 345-351, in H.H. Shorey, et al (eds.), John Wiley and Sons, Inc., NY, NY (1977).
5. Loschiavo, S.R., "Laboratory Studies of a Device to Detect Insects in Grain, and of the Distribution of Adults of the Rusty Grain Beetle, Cryptolestes ferrugineus (Coleoptera:Cucujidae), in Wheat-Filled Containers," Can. Entomol., 106(12):1309-1318 (1974).
6. Loschiavo, S.R., "Field Tests of Devices to Detect Insects in Different Kinds of Grain Storage," Can. Entomol., 107:385-389 (1975).
7. Street, M.W., "Nuclear Magnetic Resonance for Detecting Hidden Insect Infestation in Stored Grains," J. Ga. Entomol. Soc., 6(4):249-254 (1971).
8. Wirtz, L.A. and J.A. Shellenberger, "A Rapid Method to Determine Insect Infestation in Grain Using Electricity," Cereal Sci. Today, 8(9):305-318 (1963).
9. Hamid, M.A.K., C.S. Kashyap, and R. van Cauwenberghe, "Control of Grain Insects by Microwave Power," J. Microwave Power, 3(3):126-135 (1968).
10. Adams, R.E., J.E. Wolfe, M. Milner and J.A. Shellenberger, "Aural Detection of Grain Infested Internally with Insects," Science, 118(305): 163-164 (1953).
11. Street, M.W., "A Method for Aural Monitoring of In-Kernel Insect Activity," J. Ga. Entomol. Soc., 6(2):72-75 (1971).

12. Dennis, N.M. and R.W. Decker, "A Method and Machine for Detecting Living Internal Insect Infestation in Wheat," J. Econ. Entomol., 55(2):199-203 (1962).
13. U.S. Department of Defense, Military Standard Guidelines for Insect Infestation of Subsistence, 7 pages (1975).
14. Bruce, W.A. and M.W. Street, "Infrared CO₂ Detection of Hidden Insects," J. Ga. Entomol. Soc., 9(4):260-265 (1974).
15. Street, M.W., Personal Communication (1979).
16. Hunter, D.K. and P.L. Hartsell, "Influence of Temperature on Indian-Meal Moth Larvae Infected with a Granulosis Virus," J. Invert. Pathol., 17:347-349 (1971).
17. Williams, J.H. and D.A. Wilbur, "Respiratory Environments of Grain Infesting Weevils. I. Comparison of Culture-Jar and Laboratory Rearing-Room Atmospheres," J. Econ. Entomol., 61(2):345-348 (1968).
18. Williams, J.H. and D.A. Wilbur, "Respiratory Environments of Grain-Infesting Weevils. II. Comparison of Respiratory Atmospheres Produced by Laboratory Populations of Three Species of Grain Weevils," J. Econ. Entomol., 62(3):693-697 (1969).

APPENDIX A

COMMENTS CONCERNING THE FEATURES AND CHARACTERISTICS OF THE RAPID NON-DESTRUCTIVE STORED PRODUCTS INSECT DETECTOR SYSTEM (FIRST PROTOTYPE)

Advantages

1. Instrumentation and carbon dioxide detector appeared to have adequate sensitivity for detection of carbon dioxide concentrations and to changes in concentrations in bulk commodity sample handling systems.
2. Instrumentation demonstrated the capability to detect, display and record small changes (0.25 ppm) in carbon dioxide level with relatively short collect times when bulk product samples evaluated had relatively large interstitial spaces.
3. In the laboratory it was demonstrated that, with unpackaged bulk products with relatively large interstitial spaces, repeatable results could be rapidly obtained.
4. Printer provided an easily readable, rapid print-out of results.

Disadvantages

1. Results using this system with processed agricultural products having little interstitial space and capable of being compacting were unreliable and often not repeatable.
2. Purge time requirements (greater than 6 minutes) for processed products were excessive.
3. Leakage of vacuum from the shrink bag was inherent in this system. Degree of leakage varied considerably from run to run.
4. Initial design shrink bag provided with this system had valves which interfered with the sealing of the pack. This pack also ripped during initial testing.
5. System is too bulky. Weight and bulk could be reduced by rearranging components. Vacuum lines were longer than required.
6. Instrumentation required in excess of 30 hours for complete warm-up and stabilization of the baseline. To accommodate this, the system has to be on 24 hours per day.

7. The system is dependent on a 110/120 volt, 60-cycle electrical system, thus limiting its operating environment.

8. Internal insect infestation of the instrument could and did develop. However, this was noted only in the replaceable internal filter elements.

9. Instrumentation is sensitive to movement. Chart recordings reflected and plotted even slight movement of the system. If the instrument is moved during operation, additional stabilization time is required.

10. Changes in the CO₂ in the surrounding environment interfered with the accuracy of the readings.

DISTRIBUTION LIST

Project No. 3S162778A838/00/025

<u>No. of Copies</u>	<u>Addressee</u>
2	Preventive Medicine Division ATTN: Medical Zoology Branch Academy of Health Sciences Fort Sam Houston, TX 78234
1	Executive Secretary Management Armed Forces Pest Management Forest Glen Section, WRAMC Washington, DC 20012
1	Head, Environmental Quality Branch Occupational & Preventive Medicine Division (553) Bureau of Medicine and Surgery Washington, DC 20372
1	HQ PACAF/DEMM ATTN: Mr. Jonathon T. Kajiware Hickham AFB, HI 96853
12	Defense Technical Information Center Alexandria, VA 22314
1	Defense Personnel Support Center ATTN: DPSC-STQ 2800 South 20th Street Philadelphia, PA 19101
1	Department of Entomology 10th Medical Laboratory APO NY 09180
1	Directorate of Facilities Engineering US Army Support Command, Hawaii ATTN: AFZV-FE-BG Fort Shafter, HI 96858
1	Disease Surveillance Branch (Entomology) Epidemiology Division USAF School of Aerospace Medicine Brooks AFB, TX 78235

No. of
Copies

Addressee

1	Officer in Charge Disease Vector Ecology and Control Ctr Naval Air Station, Box 43 Jacksonville, FL 32212
1	HQ, USA TRADDOC ATTN: ATEN-FE-BG Fort Monroe, VA 23651
4	Defense Pest Management Information and Analysis Center Forest Glen Section Walter Reed Army Medical Center Washington, DC 20012
1	Naval Facilities Engineering Command Environmental Branch, Northern Division US Naval Base, Bldg 77 Philadelphia, PA 19112
2	Naval Facilities Engineering Command Biological Sciences Staff ATTN: Code 112B 200 Stovall Street Alexandria, VA 22332
1	Officer in Charge, Naval Air Station Naval Disease Vector Ecology & Control Ctr Alameda, CA 94501
1	Office of Chief of Engineers ATTN: Entomologist Ft. Belvoir, VA 22060
2	Office of the Surgeon General ATTN: Entomology Consultant/DASG-HCH-E Washington, DC 20310
1	USAEHA, Regional Division - West ATTN: Radiation & Entomological Sci Br Fitzsimons Army Medical Center Denver, CO 80240
1	USAEHA, Regional Division - South ATTN: Radiation & Entomological Sci Br Fort McPherson, GA 30330

No. of
Copies

Addressee

1

USAEHA Regional Division - North
ATTN: Radiation & Entomological Sciences Br
Ft. Meade, MD 20755

1

US Army Health Services Command
Medical Entomology Consultant
Health and Environment Division
Fort Sam Houston, TX 78234

2

USAMBRDL Technical Library
Ft. Detrick, Frederick, MD 21701

1

US Army Materiel Development and
Readiness Command
ATTN: DRCSE-E
5001 Eisenhower Avenue
Alexandria, VA 22333

1

Office of the Engr/Facilities Engr Div
Buildings & Grounds Branch
HQ, Eighth US Army
APO San Francisco, CA 96301

1

HQ, US Army Japan/IX Corps
ATTN: AEAEN-EH
Office of the Engineer
APO New York 09403

1

HQ, US Army Forces Command
ATTN: AFEN-FE-S
Fort McPherson, GA 30330

1

USA MEDDAC
Preventive Medicine Activity
Canal Zone
APO Miami 34008

1

USA MEDDAC
Preventive Medicine Activity
Fort Leonard Wood, MO 65473

1

HQ 193rd Inf. Bde.
ATTN: AFZUFE-BE
Julio Mendez, Engineer Entomologist
Box 923
APO New York 34004

No. of
Copies

Addressee

2

Commander
US Army Medical R&D Command
ATTN: SGRD-SI/Mrs. P. Madigan
Fort Detrick
Frederick, MD 21701

1

Dr. John Reinert
USDA
1600 SW 23rd Dr.
Gainesville, FL 32604

AD-A084 890

ARMY MEDICAL BIOENGINEERING RESEARCH AND DEVELOPMENT --ETC F/6 6/5
LABORATORY EVALUATION OF THE USDA RAPID NONDESTRUCTIVE STORED P--ETC(U)
FEB 80 L M ANDERSON, J M NELSON

UNCLASSIFIED

USAMBRDL-TR-8001

NL

2 of 2
10-10-80



END

DATE

FILED

10-81

DTIC

SUPPLEMENTARY

INFORMATION

JUL 1981

ERRATA SHEET

Reference:

TECHNICAL REPORT 8001

LABORATORY EVALUATION OF THE USDA RAPID NONDESTRUCTIVE
STORED PRODUCTS INSECT DETECTOR

US ARMY MEDICAL BIOENGINEERING RESEARCH AND DEVELOPMENT LABORATORY
Fort Detrick, Frederick, MD 21701

Page 13, SUMMARY AND RECOMMENDATIONS

Line 9, delete last sentence in toto "However, since live insects . . .
manual inspection."